

Van cổng A182 F316 Class 800 threaded NPT

Giá bán: **Liên hệ**

Class 800, Size 1 1/2 In, FNPT Connection, Material of Construction Forged 316L Stainless Steel, Top of Handle to Inlet Center 8.62 In, Inlet to Outlet Length 5.00 In, Rated For 720 PSI WSP, 1600 PSI CWP, Max Temp 850 F, Rising Stem, Stem Material 410 Stainless Steel, Forged 316L Stainless Steel Bonnet, 316 Stainless Steel Wedge, Carbon Steel Handwheel, Standards API 602, BS 5352, ASTM A105 Stainless Steel Gate ValvesIdeal for refinery, chemical, and other process applications.Class 800—Sharpe ValvesForged 316L stainless steel bonnet and body provide excellent corrosion resistance and withstand high pressures and temperatures. Rising stem and wedge are 316 stainless steel; carbon steel handwheel. Feature outside screw and yoke and bolted bonnet.Meet API 602 and ASTM A182 standards.Max. pressure: 720 psi steam; 1600 psi CWPMax. temp.: 850°F

Item	Gate Valve
Type	Class 800
Size	1-1/2"
Connection	FNPT
Material of Construction	Forged 316L Stainless Steel
Top of Handle to Inlet Center (In.)	8.62
Inlet to Outlet Length (In.)	5.00
Rated For	720 PSI WSP, 1600 PSI CWP
Max. Temp. (F)	850
Stem	Rising
Stem Material	410 Stainless Steel
Bonnet	Forged 316L Stainless Steel
Wedge	316 Stainless Steel

Handwheel	Carbon Steel
Standards	API 602, ASTM A182

Sản phẩm khác

Van cổng inox 304 nối hàn

Xem thêm Van cổng inox 304 nối hàn



Van cửa inox 304 nối hàn A182

Xem thêm Van cửa inox 304 nối hàn A182



Van cầu hơi inox a182

Xem thêm Van cầu hơi inox a182



Van cổng hàn lồng A105

Xem thêm Van cổng hàn lồng A105



Van hoi áp lực inox 304 nối hàn a105

Xem thêm Van hoi áp lực inox 304 nối hàn a105

Van cổng Mặt bích RF, A351-CF8M Class150

Xem thêm Van cổng Mặt bích RF, A351-CF8M Class150