



Van điện từ hơi 2L400-25-Round-Star

CÔNG TY TNHH TM DV XNK VAN PHÚ QUANG xin gửi tới quý khách hàng sản phẩm van điện từ sử dụng cho hơi 2L 400 - 25 Hiệu Round Star. Van điện từ 2L 400 - 40 là dòng van 2/2 thân vật liệu bằng đồng. Kiểu van thường đóng (NC). Hoạt động đóng mở trực tiếp, nhiệt độ - 50C đến 1800C, áp lực 0,5 bar đến 16 bar, kết nối ren sử dụng cho hơi nhiệt rất tốt.

VAN ĐIỆN TỬ HƠI 2L 400 - 25 ROUND STAR

* Van điện tử series 2L có các model sau:

2L 160 - 10

2L 160 - 15

2L 200 - 20

2L 250 - 25

2L 350 - 35

2L 400 - 40

* Van điện tử series 2L - Thông số kỹ thuật:

2L-series 2-way piston(NC) steam solenoid valve 3/8"□□□





2L-15J

2L-25

working medium □ steam, oil □ viscosity □ 20cst □
 medium temperature □ -5 □ 180°C
 working pressure □ 0.5 □ 16bar
 working type □ pilot operated, NC
 valve body material □ brass SS304
 sealing material □ PTFE
 interface □ G thread, NPT thread
 working voltage □ AC220V □ 240V AC110V □ 50-60Hz 90VA
 DC24V □ 12V □ 30V □ PH II degree
 option □ R□ thread

order code



2L-series solenoid valve specification table

2L-series solenoid valve drawing

Model	1/2" or 3/4" (inch)	Interface size	Size	Working medium/valve	Temperature	Max. coil voltage	Weight
				AC 220V 240V	DC 24V	1-110V AC AC/DC	W-kg LBS-LB
2L-15	1/2"	3/8"	15	0.5-16	0.5-16	82x42x146	0.5 1.5
2L-15	1/2"	1/2"	15	0.5-16	0.5-16	82x42x146	0.5 1.4
2L-25	1/2"	3/4"	25	0.5-16	0.5-16	82x42x146	0.8 1.8
2L-25	3/4"	1"	25	0.5-16	0.5-16	82x42x146	0.8 1.8
2L-25	3/4"	1 1/4"	25	0.5-16	0.5-16	82x42x146	0.8 1.8
2L-25	3/4"	1 1/2"	25	0.5-16	0.5-16	82x42x146	0.8 1.8
2L-25	3/4"	1 3/4"	25	0.5-16	0.5-16	82x42x146	0.8 1.8
2L-25	3/4"	2"	25	0.5-16	0.5-16	82x42x146	0.8 1.8



2L-15J

2L-25

Sản phẩm khác



—

[Van điện từ đồng](#)

[Xem thêm Van điện từ đồng](#)



—

[Van điện từ 09](#)

[Xem thêm Van điện từ 09](#)



—

[Flange solenoid valve](#)

[Xem thêm Flange solenoid valve](#)



—

[Van điện từ hơi 180](#)

[Xem thêm Van điện từ hơi 180](#)



—

[Van điện từ thường mở](#)

[Xem thêm Van điện từ thường mở](#)



—

[Van điện từ inox 304](#)

[Xem thêm Van điện từ inox 304](#)