




```
; (function($) { $(document).ready(function() { $("#owl-slider-1915").owlCarousel({ items: 4, lazyLoad: true, navigation: true, pagination: false, itemsDesktop: [1199, 3], itemsDesktopSmall: [979, 2], itemsTablet: [768, 4], itemsMobile: [479, 3], }); $("#owl-slider-1915 img").click(function() { var imgMain = $(".imageRoot"), a_imgMain = $(".link-imageRoot"), src = $(this).attr("data-href"), srcFull = $(this).attr("data-full"); imgMain.attr({ 'src': src, 'data-full': srcFull }); a_imgMain.attr("href", srcFull); }); })(jQuery);
```

## **BÃY HỎI PHAO REN**

## Bẫy Hơi Phao Ren

B1 - B4

**Micoson** Inverted Bucket Steam Trap (Screwed Type)




Bộ Phận	Chất Liệu
Nắp và Thân	Gang Đúc
Đế	Thép Mạ Crôm
Van	Thép Mạ Crôm
Đệm Kín	Aminăng
Đòn Bẩy	Thép Không Gỉ SUS 304
Bộ Lọc Tích Hợp	Thép Không Gỉ SUS 304
Thùng	Thép Không Gỉ SUS 304
Búa Nước	Thép

Mẫu Mã	INCH	L	H	H1	A	KG	Kg/cm <sup>2</sup>
B1	1/2, 3/4, 1	128	100	175	96	3.5	18
B2	3/4, 1	166	133	228	144	7.2	18
B3	1	198	173	296	178	13.5	18
B4	1 1/4, 1 1/2	232	185	347	293	21	18

## Bẫy Hơi Phao Mặt Bích

B1F - B6F


**Micoson** Inverted Bucket Steam Trap (Flanged Type)



Bộ Phận	Chất Liệu
Nắp và Thân	Gang Đúc
Đế	Thép Mạ Crôm
Van	Thép Mạ Crôm
Đệm Kín	Aminăng
Đòn Bẩy	Thép Không Gỉ SUS 304
Bộ Lọc Tích Hợp	Thép Không Gỉ SUS 304
Thùng	Thép Không Gỉ SUS 304
Búa Nước	Thép

Mẫu Mã	INCH	L	H	H1	A	KG	Kg/cm <sup>2</sup>
B1F	1/2, 3/4, 1	170	100	175	96	4.8, 5, 6	18
B2F	3/4, 1	210	133	228	144	9, 10	18
B3F	1	240	173	296	178	15	18
B4F	1 1/4, 1 1/2	280	185	347	203	24, 25	18
B5F	1 1/2, 2	300	223	388	230	31, 33.5	18
B6F	2	350	260	446	273	45.5	18


## NICOSON INVERTED BUCKET STEAM TRAP SPECIFICATION AND DIMENSIONS



### SCREWED TYPE

Trap Model	connection PT	L M/M	H	H1	A	Weight KG	M.O.P Kg/cm <sup>2</sup>
<b>B1</b>	1/2", 3/4", 1"	128	100	175	96	3.5	18
<b>B2</b>	3/4", 1"	166	133	228	144	7.2	18
<b>B3</b>	1"	198	173	296	178	13.5	18
<b>B4</b>	1-1/4", 1-1/2"	232	185	347	203	21	18

**NOTE :** Connection NPT are available



### FLANGED TYPE


Trap Model	connection JIS 10K, RF	L M/M	H	H1	A	Weight KG	M.O.P Kg/cm <sup>2</sup>
<b>B1F</b>	1/2", 3/4", 1"	170	100	175	96	4.8, 5, 6	18
<b>B2F</b>	3/4", 1"	210	133	228	144	9, 10	18
<b>B3F</b>	1"	240	173	296	178	15	18
<b>B4F</b>	1-1/4", 1-1/2"	280	185	347	203	24, 25	18
<b>B5F</b>	1-1/2", 2"	300	223	388	230	31, 33.5	18
<b>B6F</b>	2"	350	260	446	273	45.5	18

**NOTE :** ANSI 150 LBS RF Flanged are available.

### List Of Materials, NICOSON Cast Iron Traps

Name of part	Material
Cap and Body	Tensile Cast Iron Fc 22
Valve Seat	Heat Treated Chrome Steel
Valve	Heat Treated Chrome Steel
Gasket	Compressed Asbestos
Lever	Stainless Steel SUS 304
Valve Retainer	Stainless Steel SUS 304
Bucket	Stainless Steel SUS 304
Integral Strainer	Stainless Steel SUS 304
Water hsmmer	Steel
Resister	

### NAME PLATE



Model : STEAM TRAP Model Number

Max.p. : THIS STEAM TRAP  
Max. OPERATING PRESSURE  
KG/CM<sup>2</sup>

## Sản phẩm khác

Hiện nay không có các mục tin tức.